Criticity in developing Guidelines for ASD

Flavio Sartoretto (A.P.R.I.)

A.P.R.I. Associazione Cimadori Per la Ricerca Italiana sulla Sindrome di Down, l'Autismo e il Danno Cerebrale

March 15, 2023

Summary

We deal with:

- Rules for Panel eligibility.
- Use of anti-psychotics.
- Persons in the Spectrum who cannot self-represent themselves.
- An example: Italian Istituto Superiore di Sanità (ISS).
- Conclusions

Introduction

- Recently, ISS published the "Linea guida per [...] bambini e adolescenti con disturbo dello Spettro Autistico"
- A panel of experts worked for over than two years in order to



write this guide.

• ISS allowed only individual persons to join the panel, no Association representative was allowed to join!

Introduction

 People with Autism Spectrum Disorder belong to two main categories: those who can self-represent, and those who



vs



cannot.

- In all countries, persons who can self-represent are now invading the Panels who should direct research and cure on Autism. The needs of those who cannot self-represent themselves are now underestimated.
- Only reputed, legal representatives of well-known Associations can counteract this imbalance.

Anti-psychotics for ASD

- The ISS Panel suggests to use D2 blockers, i.e. anti-psychotics, when dealing with children and adolescents in the Autism Spectrum.
- anti-psychotics, called D2 blockers to confuse ideas, are recommended for Autism as such, which is worse than prescribing them via the comorbidity principle.

Effectiveness of ABA

- ISS denies the greater effectiveness of ABA (Applied Behavior Analysis) oriented interventions.
- According to ISS, all therapeutic interventions are equivalent.
 This is an implicit invitation to pursue the cheaper therapies.



Effectiveness of ABA

- Estimated costs of individual interventions:
 - 15,000 euros per month for the first intervention based on ABA called "Lovaas";
 - less than 500 euros per month for the DIR (Developmental, Individual-differences, Relationship-based).
- The cost of Lovaas (ABA oriented) is exaggerated. It seems made on purpose, in order to induce those who administer the public budget towards the cheapest methods, regardless of their effectiveness.

Conclusions

- Panels for guiding Research and/or Treatment of Autism must include well-known, credited Association Representative.
- ABA oriented therapies must be acknowledged as more effective in Autism.
- Prescription of anti–psychotics must be well tuned and monitored.